

**Amendments to the Claims:**

1. **(Currently amended)** A framed panel unit comprising a panel;  
a plurality of thermoplastic frame members disposed along the edge of said panel;  
each frame member having first and second opposed side walls defining a channel  
therebetween, the edge of said panel being received within the channel of each frame member;  
the channel of each frame member having spacer means therein including a first spacer  
between said panel and said first side wall for spacing said panel from said first side wall and a  
second spacer between said panel and said second side wall for spacing said panel from said  
second side wall and where prior to welding together the ends of said frame members, said  
spacer means retain positions said panel within said channel and further retains said frame  
members on said panel.

2. **(Currently amended)** A framed panel unit as claimed in claim 1, wherein at least  
one of said first and second spacers includes a protrusion extending therefrom and engaging a  
respective side of said panel for resiliently retaining said frame member on said panel.

3. **(Amended)** A framed panel unit as claimed in claim 1 ~~or 2~~, wherein said channel of  
each frame member includes a base between the first and second opposed sidewalls, ~~and wherein~~  
each spacer means further comprises a third spacer arranged between the edge of said panel and  
the base of said channel and wherein said first and second spacers are coupled to said third  
spacer.

**Claim 4 (Cancelled)**

5. **(Currently amended)** A framed panel unit as claimed in claim ~~4~~ 3, wherein for each  
spacer means, the first and second spacers are hingedly coupled to said third spacer and the

respective junction between each of said first and second spacers and said third spacer is relieved ~~includes a recess~~ to accommodate folding of said first and second spacers towards ~~relative to~~ said third spacer.

6 **(Currently amended)** A framed panel unit as claimed in claim ~~4~~ 3, wherein said third spacer includes locator means for positioning said third spacer at a predetermined lateral position between the side walls of said channel and wherein the base of said channel has first and second oppositely sloped upper surfaces which slope transversely of said channel and said locator means includes first and second oppositely sloped lower surfaces of said third spacer which engage the sloped surfaces of said channel such that said third spacer is urged towards a central position within said channel on applying a force to said third spacer towards the base of said channel.

Claim 7 **(Cancelled)**

8. **(Currently amended)** A framed panel unit as claimed in ~~any one of claims 3 to 7~~, wherein said third spacer includes means for permitting fluid to flow therethrough between adjacent portions of said channel separated by said third spacer.

Claims 9 and 10 **(Cancelled)**

11. **(Currently amended)** A framed panel unit as claimed in ~~any preceding claim 1~~, wherein said panel is comprising at least part of sheet glass.

Claim 12 **(Cancelled)**

13. **(Currently amended)** A framed panel unit as claimed in ~~any preceding claim 1~~, wherein at least one of said first and second spacers is positioned below the top of a respective channel wall to provide an open gap at the top of said side wall for receiving sealant.

14. **(Currently amended)** A framed panel unit as claimed in claim 13, wherein said sealant material comprises a reactive thermoplastic sealant material.

Claim 15 **(Cancelled)**

16. **(Currently amended)** A framed panel unit as claimed in claim 13 ~~14 or 15~~, wherein said ~~reactive~~ sealant is one of polyurethane based and silicone based.

Claim 17 **(Cancelled)**

18. **(Currently amended)** A framed panel unit as claimed in ~~any one of claims 1 to 4~~, wherein at least one of said first and second spacers is integrally formed with a respective channel wall.

Claims 19-28 **(Cancelled)**

29. **(Currently amended)** A framed panel unit as claimed in ~~any of claims 1 to 28~~, wherein each said frame member ~~has opposed side walls defining said channel therebetween, and further including~~ includes a series of pre-formed inserts between one of said first and second opposed a channel side walls and an outer face of said panel ~~a sheet member~~ for spacing said outer face of said panel ~~sheet member~~ from said side wall to define a gap therebetween for said sealant ~~reactive bonding~~ material.

Claims 30 and 31 (Cancelled)

32. (Currently amended) A framed panel unit as claimed in claim ~~29-30 or 31~~, wherein said insert~~s~~ comprises a resilient rubber material and said framed panel unit includes friction reducing means between said insert~~s~~ and said channel to facilitate relative movement between said insert~~s~~ and each said frame member.

Claims 33-36 (Cancelled)

37. (Currently amended) A framed panel unit ~~of as claimed in claims 35 or 36~~ 18, wherein each of said at least one of said first and second spacers includes one or more protrusions integrally formed with and extending from the other side wall, and wherein said integrally formed protrusions comprise flexible plastic fins.

38. (Currently amended) A panel unit ~~of as claimed in claim 37~~, wherein said integrally formed protrusions further comprise a flexible bulb seal located at the top of one of said side walls.

39. (Currently amended) A method of forming a framed panel, comprising the steps of:

- (a) providing a panel to be framed;
- (b) providing a plurality of frame members for framing said panel, each frame member having a channel formed therein for receiving an edge portion of said panel and resilient means within said channel for spacing the panel from opposed side walls of said channel and for resiliently retaining said panel in said channel;
- (c) inserting said panel into the channel of each frame member such that said frame members are held on said panel by said resilient means; and

(d) joining the ends of adjacent frame members together using a by-welding process.

40. **(Original)** A method as claimed in claim 39, wherein the step of joining comprises forming a plurality of welded joints using a separate welding station for each joint.

41. **(Original)** A method as claimed in claim 40, wherein the step of joining comprises forming said plurality of welded joints substantially simultaneously.

42. **(Currently amended)** A method as claimed in ~~any of claims 39 to 41~~, wherein the step of joining comprises

(e) positioning a weldable member between adjacent ends of two frame members; and

(f) welding each end to said weldable member by urging said frame members into engagement with said weldable member, and vibrating said weldable member to cause melting of material at the interface of each end and said weldable member.

43. **(Currently amended)** A method as claimed in claim 42 further comprising performing steps (e) and (f) for each joint substantially simultaneously.

Claim 44 **(Cancelled)**

45. **(Currently amended)** A method as claimed in ~~any of claims 42, to 44~~ wherein the ~~framing frame~~ members are interconnected by junction pieces prior to transferring the assembled frame and panel components to ~~the~~ a welding apparatus and wherein said junction piece incorporates integral legs.

Claim 46 **(Cancelled)**

47. **(Currently amended)** A method as claimed in ~~any of claims 42-39 to 44~~, comprising permitting said panel to move relative to each frame member for at least part of said joining step.

Claims 48-51 **(Cancelled)**

52. **(Currently amended)** A method as claimed in ~~any of claims 39 to 51~~, further comprising the step of applying ~~a reactive thermoplastic~~ sealant material between said panel and at least a portion of a frame member and wherein said sealant material is applied after said joining step.

Claim 53 **(Cancelled)**

54. **(Currently amended)** A method as claimed in ~~any of claim 52-39 to 53~~, further comprising the step of applying ~~a reactive thermoplastic~~ sealant material for bonding the frame members to the panel to both outwardly facing surfaces of said panel substantially simultaneously.

55. **(Currently amended)** A method as claimed in ~~any of claims 52-39 to 54~~, comprising applying said ~~a reactive thermoplastic~~ sealant material for bonding between said panel and said frame members after said joining step and when said panel is in a substantially upright position.

56. **(Currently amended)** A frame member for a panel, comprising first and second opposed side walls defining a channel therebetween for receiving said panel;  
first and second pre-formed spacers comprising a resilient material inserted in said channel;

the first spacer being positioned against said first side wall for spacing one side of said panel therefrom and said second spacer being positioned against said second side wall to space the other side of said panel therefrom, wherein said first and second spacers are mounted in said channel such that said spacers are capable of sliding along said channel; and

retaining means for retaining at least one of said first and second spacers in said channel to limit movement of said spacers in a direction transverse to the length of said channel towards the channel opening defined between said opposed side walls, wherein said retaining means is arranged to permit movement of said spacers in a direction along said channel.

**Claims 57-64 (Cancelled)**

65. **(Currently amended)** ~~A frame member as claimed in any of claims 56 to 64, comprising~~ A frame member for a panel, comprising:

first and second opposed side walls defining a channel therebetween for receiving said panel;

first and second pre-formed spacers comprising a resilient material inserted in said channel;

the first spacer being positioned against said first side wall for spacing one side of said panel therefrom and said second spacer being positioned against said second side wall to space the other side of said panel therefrom; and

a third spacer positioned at the base of said channel for spacing said panel from said base, wherein said third spacer is coupled to at least one of said first and second spacers; and

biasing means between said third spacer and at least one of said first and second spacers for urging a respective spacer outwardly into engagement with a respective channel wall;

wherein said third spacer has a lower surface which engages the base of said channel and said third spacer includes a formation on its lower surface, and the base of said channel includes

a complementary formation to locate said third spacer at a predetermined position between the side walls of said channel when said formations engage.

**Claims 66-70 (Cancelled)**

71. **(Currently amended)** A frame member as claimed in claim ~~70~~65, wherein said third spacer includes oppositely sloped lower surfaces providing said formation and the base of said channel includes complementary oppositely sloped surfaces for engaging said formation.

72 **(Original)** A frame member as claimed in claim 71, wherein the sloped surfaces of said third member slope downwards towards a centre line through said third spacer between opposed sides thereof, and complementary surfaces of the base of said channel slope downwards towards the centre of said channel.

**Claim 73 (Cancelled)**

74. **(Currently amended)** A spacer for use in mounting a panel within a channel of a frame member, comprising a base portion for spacing said panel from the base of said channel;

two a-side portions extending from said base portion for spacing said panel from respective a-side walls of said channel; and

a protrusions extending from said side portions for engaging opposite a-faces of said panel and for resiliently retaining said panel in said frame member.

75. **(Currently amended)** A spacer as claimed in claim 74, wherein said protrusions extends from ~~an~~upper ends of said side portions.



76. **(Currently amended)** A spacer as claimed in claim ~~74 or 75~~, wherein the side portions includes a ~~respective~~ recesses below said protrusions to allow said protrusions to flex toward said base portion.

77. **(Currently amended)** A spacer as claimed in ~~any of claims 74 to 76~~, wherein said protrusions ~~has have~~ respective an upper surfaces which ~~is are~~ directed towards said base portion when said protrusions ~~is are~~ in an unstressed condition.

78. **(Currently amended)** A spacer as claimed in ~~any of claims 74 to 77~~, wherein said protrusions ~~is are~~ formed by ~~an~~ respective extensions of said side portions which are ~~is~~ folded such that said protrusions extends from said side portions.

Claim 79 **(Cancelled)**

80. **(Currently amended)** A spacer as claimed in claim ~~74-79~~, wherein said side portions are ~~is~~ integrally formed with said base portion and ~~the~~ junctions between said base portion and said side portions ~~has have~~ a reduced thickness to hingedly couple said portions together.

81. **(Currently amended)** A spacer as claimed in claim 80, wherein a region adjacent said junctions of ~~at least one of~~ said base portion and said side portions are ~~is~~ relieved to accommodate folding of said side portions towards said base portion.

Claims 82 and 83 **(Cancelled)**

84. **(Currently amended)** A spacer as claimed in ~~any of claims 74 to 83~~, wherein the surface of the spacer which engages said channel includes means for positioning said spacer within said channel at a predetermined transverse position.

85. **(Currently amended)** A spacer as claimed in claim 84, wherein said positioning means comprises oppositely sloped lower surfaces of said base portion and wherein said oppositely sloped surfaces slope downwards towards an axial centre line through said base portion.

Claim 86 (Cancelled)

87. **(Currently amended)** A spacer as claimed in ~~any of claims 74 to 86~~, wherein said base portion includes means for permitting fluid to flow therethrough between adjacent portions of the channel separated by said spacer when inserted in said channel.

88. **(Currently amended)** A spacer as claimed in ~~any of claims 74 to 87~~, wherein the outer surfaces include thereof are low friction surfaces a low friction layer or coating.

Claim 89 (Cancelled)

90. **(Currently amended)** A spacer as claimed in ~~any of claims 74 to 89~~, wherein the surfaces of said protrusions for engaging said ~~panel~~ panels are ~~is a~~ relatively high friction surfaces.

Claim 91 (Cancelled)

92. **(Currently amended)** A framed panel unit as claimed in claim 1, ~~member comprising first and second opposed sidewalls defining a channel therebetween,~~ at least one of said side walls of each said frame member having an elongate recess formed therein extending along the channel and positioned below the top of a respective sidewall.

93. **(Currently amended)** A framed panel unit ~~member~~ as claimed in claim 92, wherein the upper edge of said recess is substantially perpendicular or angled downwardly from the recess towards said channel with respect to a line directed from the base to the top of said channel.

94. **(Currently amended)** A framed panel unit ~~member~~ as claimed in ~~any of~~ claims 92 ~~or 93~~, wherein said channel includes a base having oppositely sloped upper surfaces transverse to said channel.

95. **(New)** A framed panel unit as claimed in claim 1, wherein said spacer means centers said panel within said channel.